Please rewrite the claims as follows:

PATENT 930103-2001 10/525352 9T01 Rec 0 PCTAT: 23 FEB 2005

1. (Original) A compound represented by formula I:

R₁ and R₂ may be the same or different, each independently represents substituted or unsubstituted phenyl, pyridinyl or pyrimidinyl,

X and Y may be the same or different, each independently represents an N or S atom, provided that when X or Y represents S, then the R_1 or R_2 attached to the S atom is substituted or unsubstituted phenyl.

2. (Original) The compound of claim 1, wherein

when R_1 or R_2 represents substituted phenyl, substituted pyridinyl or substituted pyrimidinyl, the phenyl, pyridinyl, pyrimidinyl has one to three substituents independently selected from the group consisting of C_1 - C_6 linear or branched alkyl, C_1 - C_6 linear or branched alkoxyl, halogen, amino, di(C_1 - C_3 alkyl)amino, carbanyl, sulfamoyl, sulfo, cyano, nitro, carboxyl, hydroxy, hydroxy(C_1 - C_3) alkyl, (C_1 - C_3 alkyl)acyl and (C_1 - C_3 alkyl)thio.

3. (Orginal) The compound of claim 2, wherein:

R₁-X- and R₂-Y- each is independently selected from the group consisting of p-tolylamino, o-tolylamino, m-tolylamino, p-ethylphenylamino, o-ethylphenylamino, m-ethylphenylamino, p-chlorophenylamino, o-chlorophenylamino, m-chlorophenylamino, p-fluorophenylamino, o-fluorophenylamino, m-fluorophenylamino, p-bromophenylamino, o-bromophenylamino, m-iodophenylamino, m-iodophenylamino, m-iodophenylamino, p-nitrophenylamino, o-iodophenylamino, m-iodophenylamino, p-carboxylphenylamino, o-carboxylphenylamino, m-carboxylphenylamino, p-carbamoylphenylamino, o-carbamoylphenylamino, m-carbamoylphenylamino, p-methoxyphenylamino, o-methoxyphenylamino, m-methoxyphenylamino, p-sulfophenylamino, o-sulfophenylamino, m-sulfophenylamino, p-sulfophenylamino, o-sulfophenylamino, m-sulfophenylamino, m-sulfophenylamino,

```
p-cyanoylphenylamino, o-cyanoylphenylamino, m-cyanoylphenylamino,
 p-hydroxymethylphenylamino, o-hydroxymethylphenylamino,
m-hydroxymethylphenylamino, p-acetylphenylamino, o-acetylphenylamino,
m-acctylphenylamino, p-acctaminophenylamino, o-acctaminophenylamino,
m-acetaminophenylamino, p-N,N-dimethylaminophenylamino,
o-N,N-dimethylaminophenylamino, m-N,N-dimethylaminophenylamino,
2-carboxyl-4-bromophenylamino, 2-carboxyl-6-chloro-phenylamino,
2-carboxyl-5-chlorophenylamino, 2-carboxyl-4-chlorophenylamino,
2-carboxyl-3-chlorophenylamino, 3-carboxyl-2-chlorophenylamino,
3-carboxyl-6-chlorophenylamino, 3-carboxyl-4-chlorophenylamino,
4-carboxyl-3-chlorophenylamino, 2-cyano-5-chlorophenylamino,
2-hydroxymethyl-4-chlorophenylamino, 4-carboxyl-5-methoxy-2-chlorophenylamino,
2-sulfo-4-methyl-5-chlorophenylamino, 2-methyl-4-nitro-5-chlorophenylamino,
2-carboxyl-4,6-dichlorophenylamino, 2-carboxyl-4,6-diiodophenylamino,
4-carboxyl-2,6-diiodophenylamino, 2-carboxyl-4,6-dimethoxyphenylamino,
2-cyano-4,6-dimethoxyphenylamino, 4-carbamoyl-2,6-dinitrophenylamino,
2-carboxyl-5-fluorophenylamino, 2-carboxyl-4-fluorophenylamino,
2-carboxyl-3-fluorophenylamino, 2-cyano-3-fluorophenylamino,
2-carboxyl-4-iodophenylamino, 2-carboxyl-6-methoxyphenylamino,
3-carboxyl-6-methoxyphenylamino, 4-carboxyl-6-methoxyphenylamino,
2-carboxyl-4-methylphenylamino, 2-carboxyl-3-methylphenylamino,
3-carboxyl-2-methylphenylamino, 4-carboxyl-2-methylphenylamino,
5-carboxyl-2-methylphenylamino, 2-cyano-5-methylphenylamino,
2-hydroxymethyl-6-methylphenylamino, 2-hydroxymethyl-4-methylphenylamino,
2-methyl-3-hydroxymethylphenylamino, 2-methyl-5-hydroxymethylphenylamino,
2-cyano-4-nitrophenylamino, 4-cyano-2-nitrophenylamino,
2-methyl-4-nitrophenylamino, 2-hydroxy-3-carboxylphenylamino,
3-hydroxy-4-carboxylphenylamino, 3-carboxyl-4-hydroxyphenylamino,
4-sulfo-2-methylphenylamino, 3-sulfo-4-methylphenylamino,
2-sulfo-4-methylphenylamino, phenylthio, p-methylphenylthio, o-methylphenylthio,
m-methylphenylthio, 2-carboxylphenylthio, pyridin-2-amino, pyridin-3-amino,
pyridin-4-amino, 5-bromopyridin-2-amino, 5-bromo-3-nitropyridin-2-amino,
4-methyl-3-nitropyridin-2-amino, 4-methyl-5-nitropyridin-2-amino,
3-nitropyridin-2-amino, 5-nitropyridin-2-amino, 3-methylpyridin-2-amino,
4-methylpyridin-2-amino, 5-methylpyridin-2-amino, 6-methylpyridin-2-amino,
```

4,6-dimethylpyridin-2-amino, 2-methoxypyridin-5-amino, 5-chloropyridin-2-amino, 2-chloropyridin-3-amino, 2-chloropyridin-5-amino, 3,5-dibromopyridin-2-amino, 3,5-dichloropyridin-2-amino, 4-methyl-3-nitropyridin-2-amino, 4-methyl-5-nitropyridin-2-amino, nicotinamid-6-amino, nicotinamid-2-amino, pyrimidin-2-amino, 5-bromopyrimidin-2-amino, 2,6-dihydroxypyrimidin-4-amino, 4,6-dimethoxypyrimidin-3-amino, 4,6-dimethoxypyrimidin-2-amino, 3-hydroxypyrimidin-2-amino, 4-methoxy-5-methylpyrimidin-2-amino, 2-methoxypyrimidin-5-amino, 4-chloro-6-methylpyrimidin-2-amino, 6-chloro-2-methylthiopyrimidin-4-amino, 4,6-dichloropyrimidin-2-amino, 4,6-dichloropyrimidin-5-amino, 4-methylpyrimidin-2-amino, 3-nitropyrimidin-2-amino and 5-nitropyrimidin-2-amino.

4. (Original) A method of preparing the compound represented by formula I, comprising:

reacting the compound represented by formula II

(formula II)

wherein Z is H or halogen,
with one or two aromatic amines represented by formula III

R₄NH₂ (formula III)

Wherein R₄ represents substituted or unsubstituted phenyl, pyridinyl or pyrimidinyl, or, with one or two thiophenols represented by formula IV

R₅SH (formula IV)

Wherein R₅ represents substituted or unsubstituted phenyl, in the presence of an oxidant at a temperature of 10-80℃ for 0.2-20 hrs.

5. (Original) The method of claim 4, wherein the halogen is chloro or bromo.

- 6. (Original) The method of claim 4, wherein R_4 represents substituted phenyl, substituted pyridinyl or substituted pyrimidinyl, the phenyl, pyridinyl or pyrimidinyl has one to three substituents independently selected from the group consisting of C_1 - C_6 linear or branched alkyl, C_1 - C_6 linear or branched alkoxyl, halogen, amino, $di(C_1$ - C_3 alkyl)amino, carbamyl, sulfamoyl, sulfo, cyano, nitro, carboxyl, hydroxy, hydroxy(C_1 - C_3) alkyl, (C_1 - C_3 alkyl)acyl and (C_1 - C_3 alkyl)thio.
- 7. (Original) The method of claim 4, wherein R_5 represents a substituted phenyl having one to two substituents selected from the group consisting of methyl, ethyl, propyl and carboxyl.
- Currently
 8. (Amended) The method of any one of claims 4 to 7, wherein the reaction is performed in an aqueous organic solvent and wherein the oxidant is selected from the group consisting of alkli metal salts of bromic acid, alkli metal salts of iodic acid, alkli metal salts of persulfuric acid, alkli metal salts of chloric acid, and the mixture thereof:
- 9. (Original) The method of claim 8, wherein the alkali metal is sodium or potassium
- 10. (Original) The method of claim 8, wherein the reaction temperature is 40 C-60 C
- 11. (Original) The method of claim 8, wherein the oxidant is added in portions.
- 12. (Original) The method of claim 8, wherein the reaction time is 2-10 hrs.
- 13. (Currently Amended) The method of any one of claims 4-to 7, wherein the oxidant is a polyphenoloxidase.
- 14. (Original) The method of claim 13, wherein the reaction temperature is 25°C-45°C.
- 15. (Original) The method of claim 13, wherein the reaction time is 2-20 hrs.
- 16. (Amended) The method of any one of claims 4 to 7, wherein the organic solvent is selected from the group consisting of methanol, ethanol, dimethyl sulfoxide, acetone, dioxane, tetrahydrofuran, dimethyl formamide, acetonitrile, and the mixture thereof.

17. (Original) A pharmaceutical composition, which contains the compound represented by formula I as an active component and a pharmaceutically acceptable carrier,

R₁ and R₂ may be the same or different, each independently represents substituted or unsubstituted phenyl, pyridinyl or pyrimidinyl,

X and Y may be the same or different, each independently represents an N or S atom, provided that when X or Y represents S, then the R_1 or R_2 attached to the S atom is substituted or unsubstituted phenyl.

- 18. (Original) The pharmaceutical composition of claim 17, wherein when R_1 or R_2 represents substituted phenyl, substituted pyridinyl or substituted pyrimidinyl, the phenyl, pyridinyl, pyrimidinyl has one to three substituents independently selected from the group consisting of C_1 - C_6 linear or branched alkyl, C_1 - C_6 linear or branched alkoxyl, halogen, amino, $di(C_1-C_3)$ alkyl)amino, carbamyl, sulfamoyl, sulfo, cyano, nitro, carboxyl, hydroxy, hydroxy(C_1-C_3) alkyl, (C_1-C_3 alkyl)acyl and (C_1-C_3 alkyl)thio.
- 19. (Original) The pharmaceutical composition of claim 18, wherein R₁-X and R₂-Y each is independently selected from the group consisting of p-tolylamino, o-tolylamino, m-tolylamino, p-ethylphenylamino, o-ethylphenylamino, m-ethylphenylamino, p-chlorophenylamino, o-chlorophenylamino, m-chlorophenylamino, p-fluorophenylamino, o-fluorophenylamino, m-fluorophenylamino, p-bromophenylamino, o-bromophenylamino, m-bromophenylamino, p-nitrophenylamino, o-iodophenylamino, m-iodophenylamino, p-nitrophenylamino, o-nitrophenylamino, m-nitrophenylamino, p-carboxylphenylamino, o-carboxylphenylamino, m-carboxylphenylamino, p-methoxyphenylamino, o-methoxyphenylamino, m-carbamoylphenylamino, p-methoxyphenylamino, o-ethoxyphenylamino, m-methoxyphenylamino, p-sulfophenylamino, o-sulfophenylamino, m-sulfophenylamino, p-sulfamoylphenylamino, o-sulfamoylphenylamino, m-sulfamoylphenylamino, p-cyanoylphenylamino, o-cyanoylphenylamino, m-cyanoylphenylamino, p-hydroxymethylphenylamino,

```
o-hydroxymethylphenylamino, m-hydroxymethylphenylamino, p-acetylphenylamino,
o-acetylphenylamino, m-acetylphenylamino, p-acetaminophenylamino,
o-acetaminophenylamino, m-acetaminophenylamino,
p-N,N-dimethylaminophenylamino, o-N,N-dimethylaminophenylamino,
m-N,N-dimethylaminophenylamino, 2-carboxyl-4-bromophenylamino,
2-carboxyl-6-chloro-phenylamino, 2-carboxyl-5-chlorophenylamino,
2-carboxyl-4-chlorophenylamino, 2-carboxyl-3-chlorophenylamino,
3-carboxyl-2-chlorophenylamino, 3-carboxyl-6-chlorophenylamino,
3-carboxyl-4-chlorophenylamino, 4-carboxyl-3-chlorophenylamino,
2-cyano-5-chlorophenylamino, 2-hydroxymethyl-4-chlorophenylamino,
4-carboxyl-5-methoxy-2-chlorophenylamino, 2-sulfo-4-methyl-5-chlorophenylamino,
2-methyl-4-nitro-5-chlorophenylamino, 2-carboxyl-4,6-dichlorophenylamino,
2-carboxyl-4,6-diiodophenylamino, 4-carboxyl-2,6-diiodophenylamino,
2-carboxyl-4,6-dimethoxyphenylamino, 2-cyano-4,6-dimethoxyphenylamino,
4-carbamoyl-2,6-dinitrophenylamino, 2-carboxyl-5-fluorophenylamino,
2-carboxyl-4-fluorophenylamino, 2-carboxyl-3-fluorophenylamino,
2-cyano-3-fluorophenylamino, 2-carboxyl-4-iodophenylamino,
2-carboxyl-6-methoxyphenylamino, 3-carboxyl-6-methoxyphenylamino,
4-carboxyl-6-methoxyphenylamino, 2-carboxyl-4-methylphenylamino,
2-carboxyl-3-methylphenylamino, 3-carboxyl-2-methylphenylamino,
4-carboxyl-2-methylphenylamino, 5-carboxyl-2-methylphenylamino,
2-cyano-5-methylphenylamino, 2-hydroxymethyl-6-methylphenylamino,
2-hydroxymethyl-4-methylphenylamino, 2-methyl-3-hydroxymethylphenylamino,
2-methyl-5-hydroxymethylphenylamino, 2-cyano-4-nitrophenylamino,
4-cyano-2-nitrophenylamino, 2-methyl-4-nitrophenylamino,
2-hydroxy-3-carboxylphenylamino, 3-hydroxy-4-carboxylphenylamino,
 3-carboxyl-4-hydroxyphenylamino, 4-sulfo-2-methylphenylamino,
3-sulfo-4-methylphenylamino, 2-sulfo-4-methylphenylamino, phenylthio,
p-methylphenylthio, o-methylphenylthio, m-methylphenylthio, 2-carboxylphenylthio,
pyridin-2-amino, pyridin-3-amino, pyridin-4-amino, 5-bromopyridin-2-amino,
 5-bromo-3-nitropyridin-2-amino, 4-methyl-3-nitropyridin-2-amino,
 4-methyl-5-nitropyridin-2-amino, 3-nitropyridin-2-amino, 5-nitropyridin-2-amino,
 3-methylpyridin-2-amino, 4-methylpyridin-2-amino, 5-methylpyridin-2-amino,
 6-methylpyridin-2-amino, 4,6-dimethylpyridin-2-amino, 2-methoxypyridin-5-amino,
 5-chloropyridin-2-amino, 2-chloropyridin-3-amino, 2-chloropyridin-5-amino,
```

3,5-dibromopyridin-2-amino, 3,5-dichloropyridin-2-amino,

4-methyl-3-nitropyridin-2-amino, 4-methyl-5-nitropyridin-2-amino,

nicotinamid-6-amino, nicotinamid-2-amino, pyrimidin-2-amino, pyrimidin-4-amino,

5-bromopyrimidin-2-amino, 2,6-dihydroxypyrimidin-4-amino,

4,6-dimethoxypyrimidin-3-amino, 4,6-dimethoxypyrimidin-2-amino,

4-bydroxy-6-methylpyrimidin-2-amino, 3-hydroxypyrimidin-2-amino,

4-methoxy-5-methylpyrimidin-2-amino, 2-methoxypyrimidin-5-amino,

4-chloro-6-methylpyrimidin-2-amino, 6-chloro-2-methylthiopyrimidin-4-amino,

4,6-dichloropyrimidin-2-amino, 4,6-dichloropyrimidin-5-amino,

4-methylpyrimidin-2-amino, 3-nitropyrimidin-2-amino and 5-nitropyrimidin-2-amino.

20. (Currently Amended) The use of the compound represented by formula I, eharacterized in that wherein the compound is used in preparing a pharmaceutical composition for selectively, inhibiting cyclooxygenase-2,

wherein

R₁ and R₂ may be the same or different, each independently represents substituted or unsubstituted phenyl, pyridinyl or pyrimidinyl,

X and Y may be the same or different, each independently represents an N or S atom, provided that when X or Y represents S, then the R_1 or R_2 attached to the S atom is substituted or unsubstituted phenyl.

- 21. (Original) The use of claim 20, wherein R_1 or R_2 represents substituted phenyl, substituted pyridinyl or substituted pyrimidinyl, the phenyl, pyridinyl, pyrimidinyl has one to three substituents independently selected from the group consisting of C_1 - C_6 linear or branched alkoxyl, halogen, amino, $di(C_1$ - C_3 alkyl)amino, carbamyl, sulamoyl, sulfo, cyano, nitro, carboxyl, hydroxy, hydroxy(C_1 - C_3) alkyl, (C_1 - C_3 alkyl)acyl and (C_1 - C_3 alkyl)thio.
- 22. (Original) The use of claim 21, wherein R_1 -X- and R_2 -Y- each is independently selected from the group consisting of p-tolylamino, o-tolylamino, m-tolylamino, p-ethylphenylamino, o-ethylphenylamino, m-ethylphenylamino, p-chlorophenylamino,

```
ö-chlorophenylamino, m-chlorophenylamino, p-fluorophenylamino,
o-fluorophenylamino, m-fluorophenylamino, p-bromophenylamino,
o-bromophenylamino, m-bromophenylamino, p-iodophenylamino, o-iodophenylamino,
m-iodophenylamino, p-nitrophenylamino, o-nitrophenylamino, m-nitrophenylamino,
p-carboxylphenylamino, o-carboxylphenylamino, m-carboxylphenylamino,
p-carbamoylphenylamino, o-carbamoylphenylamino, m-carbamoylphenylamino,
p-methoxyphenylamino, o-methoxyphenylamino, m-methoxyphenylamino,
p-ethoxyphenylamino, o-ethoxyphenylamino, m-ethoxyphenylamino,
p-sulfophenylamino, o-sulfophenylamino, m-sulfophenylamino,
p-sulfamovlphenylamino, o-sulfamovlphenylamino, m-sulfamovlphenylamino,
p-cyanovlphenylamino, o-cyanovlphenylamino, m-cyanovlphenylamino,
p-hydroxymethylphenylamino, o-hydroxymethylphenylamino,
m-hydroxymethylphenylamino, p-acetylphenylamino, o-acetylphenylamino,
m-acetylphenylamino, p-acetaminophenylamino, o-acetaminophenylamino,
m-acetaminophenylamino, p-N,N-dimethylaminophenylamino,
o-N.N-dimethylaminophenylamino, m-N,N-dimethylaminophenylamino,
2-carboxyl-4-bromophenylamino, 2-carboxyl-6-chloro-phenylamino,
2-carboxyl-5-chlorophenylamino, 2-carboxyl-4-chlorophenylamino,
2-carboxyl-3-chlorophenylamino, 3-carboxyl-2-chlorophenylamino,
3-carboxyl-6-chlorophenylamino, 3-carboxyl-4-chlorophenylamino,
4-carboxyl-3-chlorophenylamino, 2-cyano-5-chlorophenylamino,
2-hydroxymethyl-4-chlorophenylamino, 4-carboxyl-5-methoxy-2-chlorophenylamino,
 2-sulfo-4-methyl-5-chlorophenylamino, 2-methyl-4-nitro-5-chlorophenylamino,
 2-carboxyl-4,6-dichlorophenylamino, 2-carboxyl-4,6-diiodophenylamino,
 4-carboxyl-2,6-diiodophenylamino, 2-carboxyl-4,6-dimethoxyphenylamino,
 2-cyano-4,6-dimethoxyphenylamino, 4-carbamoyl-2,6-dinitrophenylamino,
 2-carboxyl-5-fluorophenylamino, 2-carboxyl-4-fluorophenylamino,
 2-carboxyl-3-fluorophenylamino, 2-cyano-3-fluorophenylamino,
 2-carboxyl-4-iodophenylamino, 2-carboxyl-6-methoxyphenylamino,
 3-carboxyl-6-methoxyphenylamino, 4-carboxyl-6-methoxyphenylamino,
 2-carboxyl-4-methylphenylamino, 2-carboxyl-3-methylphenylamino,
 3-carboxyl-2-methylphenylamino, 4-carboxyl-2-methylphenylamino,
 5-carboxyl-2-methylphenylamino, 2-cyano-5-methylphenylamino,
 2-hydroxymethyl-6-methylphenylamino, 2-hydroxymethyl-4-methylphenylamino,
 2-methyl-3-hydroxymethylphenylamino, 2-methyl-5-hydroxymethylphenylamino,
```

2-cyano-4-nitrophenylamino, 4-cyano-2-nitrophenylamino, 2-methyl-4-nitrophenylamino, 2-hydroxy-3-carboxylphenylamino, 3-hydroxy-4-carboxylphenylamino, 3-carboxyl-4-hydroxyphenylamino, 4-sulfo-2-methylphenylamino, 3-sulfo-4-methylphenylamino, 2-sulfo-4-methylphenylamino, phenylthio, p-methylphenylthio, o-methylphenylthio, m-methylphenylthio, 2-carboxylphenylthio, pyridin-2-amino, pyridin-3-amino, pyridin-4-amino, 5-bromopyridin-2-amino, 5-bromo-3-nitropyridin-2-amino, 4-methyl=3-nitropyridin-2-amino, 4-methyl-5-nitropyridin-2-amino, 3-nitropyridin-2-amino, 5-nitropyridin-2-amino, 3-methylpyridin-2-amino, 4-methylpyridin-2-amino, 5-methylpyridin-2-amino, 6-methylpyridin-2-amino, 4,6-dimethylpyridin-2-amino, 2-methoxypyridin-5-amino, 5-chloropyridin-2-amino, 2-chloropyridin-3-amino, 2-chloropyridin-5-amino, 3,5-dibromopyridin-2-amino, 3,5-dichloropyridin-2-amino, 4-methyl-3-nitropyridin-2-amino, 4-methyl-5-nitropyridin-2-amino, nicotinamid-6-amino, nicotinamid-2-amino, pyrimidin-2-amino, pyrimidin-4-amino, 5-bromopyrimidin-2-amino, 2,6-dihydroxypyrimidin-4-amino, 4,6-dimethoxypyrimidin-3-amino, 4,6-dimethoxypyrimidin-2-amino, 4-hydroxy-6-methylpyrimidin-2-amino, 3-hydroxypyrimidin-2-amino, 4-methoxy-5-methylpyrimidin-2-amino, 2-methoxypyrimidin-5-amino, 4-chloro-6-methylpyrimidin-2-amino, 6-chloro-2-methylthiopyrimidin-4-amino, 4,6-dichloropyrimidin-2-amino, 4.6-dichloropyrimidin-5-amino, 4-methylpyrimidin-2-amino, 3-nitropyrimidin-2-amino and 5-nitropyrimidin-2-amino.

23. (Original) A method of selectively inhibiting cyclooxygenase -2, wherein comprising administrating the compound represented by formula I to a mammal,

R₁ and R₂ may be the same or different, each independently represents substituted or unsubstituted phenyl, pyridinyl or pyrimidinyl,

X and Y may be the same or different, each independently represents an N or S atom, provided that when X or Y represents S, then the R_1 or R_2 attached to the S atom is substituted or unsubstituted phenyl.

24. (Original) The method of claim 23, wherein R_1 or R_2 represents substituted phenyl, substituted pyridinyl or substituted pyrimidinyl, the phenyl, pyridinyl, pyrimidinyl has one to three substituents independently selected from the group consisting of C_1 - C_6 linear or branched alkoyl, halogen, amino, di(C_1 - C_3 alkyl)amino, carbamyl, sulamoyl, sulfo, cyano, nitro, carboxyl, hydroxy, hydroxy(C_1 - C_3) alkyl, (C_1 - C_3 alkyl)acyl and (C_1 - C_3 alkyl)thio.

25. (Original) The method of claim 24, wherein R₁-X- and R₂-Y- each is independently selected from the group consisting of p-tolylamino, o-tolylamino, m-tolylamino, p-ethylphenylamino, o-ethylphenylamino, m-ethylphenylamino, p-chlorophenylamino, o-chlorophenylamino, m-chlorophenylamino, p-fluorophenylamino, o-fluorophenylamino, m-fluorophenylamino, p-bromophenylamino, o-bromophenylamino, m-bromophenylamino, p-iodophenylamino, o-iodophenylamino, m-iodophenylamino, p-nitrophenylamino, o-nitrophenylamino, m-nitrophenylamino, p-carboxylphenylamino, o-carboxylphenylamino, m-carboxylphenylamino, p-carbamoylphenylamino, o-carbamoylphenylamino, m-carbamoylphenylamino, p-methoxyphenylamino, o-methoxyphenylamino, m-methoxyphenylamino, p-ethoxyphenylamino, o-ethoxyphenylamino, m-ethoxyphenylamino, p-sulfophenylamino, o-sulfophenylamino, m-sulfophenylamino, p-sulfamoylphenylamino, o-sulfamoylphenylamino, m-sulfamoylphenylamino, p-cyanoylphenylamino, o-cyanoylphenylamino, m-cyanoylphenylamino, p-hydroxymethylphenylamino, o-hydroxymethylphenylamino, m-hydroxymethylphenylamino, p-acetylphenylamino, o-acetylphenylamino, m-acetylphenylamino, p-acetaminophenylamino, o-acetaminophenylamino, m-acetaminophenylamino, p-N,N-dimethylaminophenylamino, o-N,N-dimethylaminophenylamino, m-N,N-dimethylaminophenylamino, 2-carboxyl-4-bromophenylamino, 2-carboxyl-6-chloro-phenylamino, 2-carboxyl-5-chlorophenylamino, 2-carboxyl-4-chlorophenylamino, 2-carboxyl-3-chlorophenylamino, 3-carboxyl-2-chlorophenylamino, 3-carboxyl-6-chlorophenylamino, 3-carboxyl-4-chlorophenylamino, 4-carboxyl-3-chlorophenylamino, 2-cyano-5-chlorophenylamino, 2-hydroxymethyl-4-chlorophenylamino, 4-carboxyl-5-methoxy-2-chlorophenylamino, 2-sulfo-4-methyl-5-chlorophenylamino, 2-methyl-4-nitro-5-chlorophenylamino, 2-carboxyl-4,6-dichlorophenylamino, 2-carboxyl-4,6-diiodophenylamino, 4-carboxyl-2,6-diiodophenylamino, 2-carboxyl-4,6-dimethoxyphenylamino,

```
2-cyano-4,6-dimethoxyphenylamino, 4-carbamoyl-2,6-dinitrophenylamino,
2-carboxyl-5-fluorophenylamino, 2-carboxyl-4-fluorophenylamino,
2-carboxyl-3-fluorophenylamino, 2-cyano-3-fluorophenylamino,
2-carboxyl-4-iodophenylamino, 2-carboxyl-6-methoxyphenylamino,
3-carboxyl-6-methoxyphenylamino, 4-carboxyl-6-methoxyphenylamino,
2-carboxyl-4-methylphenylamino, 2-carboxyl-3-methylphenylamino,
3-carboxyl-2-methylphenylamino, 4-carboxyl-2-methylphenylamino,
5-carboxyl-2-methylphenylamino, 2-cyano-5-methylphenylamino,
2-hydroxymethyl-6-methylphenylamino, 2-hydroxymethyl-4-methylphenylamino,
2-methyl-3-hydroxymethylphenylamino, 2-methyl-5-hydroxymethylphenylamino,
2-cyano-4-nitrophenylamino, 4-cyano-2-nitrophenylamino,
2-methyl-4-nitrophenylamino, 2-hydroxy-3-carboxylphenylamino,
3-hydroxy-4-carboxylphenylamino, 3-carboxyl-4-hydroxyphenylamino,
4-sulfo-2-methylphenylamino, 3-sulfo-4-methylphenylamino,
2-sulfo-4-methylphenylamino, phenylthio, p-methylphenylthio, o-methylphenylthio,
m-methylphenylthio, 2-carboxylphenylthio, pyridin-2-amino, pyridin-3-amino,
pyridin-4-amino, 5-bromopyridin-2-amino, 5-bromo-3-nitropyridin-2-amino,
4-methyl-3-nitropyridin-2-amino, 4-methyl-5-nitropyridin-2-amino,
3-nitropyridin-2-amino, 5-nitropyridin-2-amino, 3-methylpyridin-2-amino,
4-methylpyridin-2-amino, 5-methylpyridin-2-amino, 6-methylpyridin-2-amino,
4,6-dimethylpyridin-2-amino, 2-methoxypyridin-5-amino, 5-chloropyridin-2-amino,
2-chloropyridin-3-amino, 2-chloropyridin-5-amino, 3,5-dibromopyridin-2-amino,
3.5-dichloropyridin-2-amino, 4-methyl-3-nitropyridin-2-amino,
4-methyl-5-nitropyridin-2-amino, nicotinamid-6-amino, nicotinamid-2-amino,
pyrimidin-2-amino, pyrimidin-4-amino, 5-bromopyrimidin-2-amino,
2,6-dihydroxypyrimidin-4-amino, 4,6-dimethoxypyrimidin-3-amino,
 4,6-dimethoxypyrimidin-2-amino, 4-hydroxy-6-methylpyrimidin-2-amino,
 3-hydroxypyrimidin-2-amino, 4-methoxy-5-methylpyrimidin-2-amino,
 2-methoxypyrimidin-5-amino, 4-chloro-6-methylpyrimidin-2-amino,
 6-chloro-2-methylthiopyrimidin-4-amino, 4,6-dichloropyrimidin-2-amino,
 4,6-dichloropyrimidin-5-amino, 4-methylpyrimidin-2-amino,
 3-nitropyrimidin-2-amino and 5-nitropyrimidin-2-amino.
```

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.